

Single-Window Hub

Environmental

and Virtuous



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The Executive Vice President R S ESTATE DEVELOPERS PVT LTD

3rd Floor, Commerz, International Business Park, Oberoi Garden City, Off. W.E. Highway. Goregaon (E) -400063

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/403905/2022 dated 20 Oct 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type**

4. Category

5. Project/Activity including Schedule No.

6. Name of Project EC23B038MH144499

SIA/MH/INFRA2/403905/2022

New В

8(a) Building and Construction projects

e Protects Residential Development at Plot No. 120, CTS No. 1/38/2, Village: Oshiwara, Taluka: Versova, District: Mumbai, State: Maharashtra, India by M/s. R. S. Estate

Developers Private Limited.

7. Name of Company/Organization

Location of Project 8.

9 **TOR Date** R S ESTATE DEVELOPERS PVT LTD

MAHARASHTRA

N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 23/02/2023

(e-signed) Pravin C. Daradé, I.A.S. **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/403905/2022 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To

M/s. R. S. Estate Developers Private Limited, Plot No. 120, CTS No. 1/38/2, Village: Oshiwara,

Taluka: Versova, District: Mumbai.

Subject : Environmental clearance for Residential Development at Plot No. 120,

CTS No. 1/38/2, Village: Oshiwara, Taluka: Versova, District: Mumbai

by M/s. R. S. Estate Developers Private Limited.

Reference: Application no. SIA/MH/INFRA2/403905/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 189th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 256th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details		
1	Proposal Number	SIA/MH/INFRA2/403905/2022		
2	Name of Project	Residential Development at village Oshiwara,		
		Andheri West, Mumbai State: Maharashtra		
3	Project category	8 (a)		
4	Type of Institution	Limited		
5	Project Proponent	Name Mr. Rajendra Chandorkar		
	ing and the second of the seco	R. S. Estate Developers Pvt. Ltd.		
	[- 하공 : - 하노는 1 : [편한 [전송 환	Regd. 3 rd Floor, Commerz, International		
		Office Business Park, Oberoi Garden City, Off.		
		address W.E Highway, Goregaon (East). Mumbai		
		Contact 9820097827/ 022 6677 3334		
		number * 1997		
		e-mail rajendra.chandorkar@oberoirealty.com		
6	Consultant	ULTRA TECH		
		Certificate No: NABET/EIA/2023/RA 0194		
		Validity: 9 th March 2023		
7	Applied for	New application for Environment Clearance		
8	Location of the project	Plot No. 120, CTS No. 1/38/2, Village: Oshiwara,		
		Taluka: Versova, Andheri West, District: Mumbai		
		Suburban, State: Maharashtra, India		
9	Latitude and Longitude	Latitude: 19° 8'39.02"N;		
		Longitude: 72°49'16.00"E		
10	Plot Area (sq.m.)	11,750.70 Sq. mt.		

11	Deductions (sq.m.)	As the building no. 1 was already completed and		
		granted occupation long back and there is no vacant		
		space in the plot to provide AOS as per Reg. 14A.		
		Hence, we requested competent authority to not to		
		insist physical provision of the AOS, and the same		
	·	was condoned/ approved by competent authority by		
		charging premium as per T -5 policy.		
12	Net Plot area (sq.m.)	11,750.70 Sq. mt.		
13	Ground coverage (m ²) & %	9,648.00 sq. mt. (87%)		
14	FSI Area (sq.m.)	19,930.05 sq. mt.		
1.	1 SI I wow (Sq.iii.)	*Please note in the same layout there is building no		
		1 (FSI area: 13,602.02 sq.mt.) constructed prior to		
		EIA Notification hence not considered in the		
		proposal for EC		
15	Non-FSI (sq.m.)	12,219.93 sq. mt		
13	1011-1'31 (5q.m.)	*Please note in the same layout there is building no		
		1 (NON FSI area: 18,150.13 sq.mt.) constructed		
		prior to EIA Notification hence not considered in the		
1.0	Decreased hells and 7000	proposal for EC		
16				
	Non FSI) (sq.m.)	*Please note in the same layout there is building no		
		1 (Total Construction BUA area: 31,752.15 sq. mt.)		
		constructed prior to EIA Notification hence not		
	2	considered in the proposal for EC		
17	TBUA (m ²) approved b	. 1		
	Planning Authority till date	dt.26.08.2019		
		Amended Approval received from MCGM		
		dt. 30.12.2021		
10	Earlier EC details with Total			
18	Lattice LC deaths with tou	l Not Applicable		
18	Construction area, if any.	l Not Applicable		
18	Construction area, if any.			
	Construction area, if any.	r Not Applicable		
	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI)	r Not Applicable		
	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.)	r Not Applicable		
19	Construction area, if any. Construction completed as perearlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin	r Not Applicable g Proposed Configuration Reason for		
19	Construction area, if any. Construction completed as perential earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig	r Not Applicable y Proposed Configuration Reason for		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Reason for Building Configurati Heig Modificatio		
19	Construction area, if any. Construction completed as perential earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig	r Not Applicable g Proposed Configuration Building Configurati Name on ht (m) Reason for Modificatio n/Change		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Name on ht (m) Existing building		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Name on ht Modificatio n/Change Existing building (Not Under Purview of EIA		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Reason for Building Configurati Heig Modification Name on ht (m) Existing building (Not Under Purview of EIA Notification)		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Name on ht On Change Existing building (Not Under Purview of EIA Notification) Building Ground Floor		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Modification Name on ht (m) Existing building (Not Under Purview of EIA Notification) Building Ground Floor no. 1 with + Stilt + 1st to 128.2		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Modification Name on ht (m) Existing building (Not Under Purview of EIA Notification) Building Ground Floor no. 1 with + Stilt + 1 st to 128.2 2 Wings A 36 th Floors 0 mt.		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Modification Name on ht (m) Existing building (Not Under Purview of EIA Notification) Building Ground Floor no. 1 with + Stilt + 1st to 128.2 2 Wings A 36th Floors 0 mt. and B		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Name on ht (m) Existing building (Not Under Purview of EIA Notification) Building Ground Floor no. 1 with + Stilt + 1st to 128.2 2 Wings A 36th Floors 0 mt. and B Proposed building		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Modificatio n/Change Existing building (not Under Purview of EIA Notification) Building Ground Floor no. 1 with + Stilt + 1st to 128.2 2 Wings A 36th Floors 0 mt. and B Proposed building (Under Purview of EIA		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Modification Name on ht (m) Existing building (Not Under Purview of EIA Notification) Building Ground Floor no. 1 with + Stilt + 1st to 128.2 2 Wings A 36th Floors 0 mt. and B Proposed building (Under Purview of EIA Notification)		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Name on ht (m) Existing building (Not Under Purview of EIA Notification) Building Ground Floor no. 1 with + Stilt + 1st to 128.2 2 Wings A 36th Floors 0 mt. and B Proposed building (Under Purview of EIA Notification) Building Ground Floor		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Modificatio n/Change Existing building (m) Existing building (Not Under Purview of EIA Notification) Building Ground Floor no. 1 with + Stilt + 1 st to 128.2 2 Wings A 36th Floors 0 mt. and B Proposed building (Under Purview of EIA Notification) Building Ground Floor of the proposed building (Under Purview of EIA Notification) Building Ground Floor of the proposed building (Under Purview of EIA) Notification of the proposed building (Under Purview of EIA) Notification of the proposed building (Under Purview of EIA) Notification of the proposed building (Under Purview of EIA)		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	Proposed Configuration Building Configurati Name on ht Notification Building Ground Floor no. 1 with + Stilt + 1st to 128.2 2 Wings A 36th Floors 0 mt. and B Proposed building (Under Purview of EIA Notification) Building Ground Floor 0 mt. and B Proposed building (Under Purview of EIA Notification) Building Ground Floor 0 mo. 2 with + Stilt + 1st to 99.55 2 Wings C 28th Floors mt.		
19	Construction area, if any. Construction completed as per earlier EC (FSI + Non FSI (sq.m.) Previous EC/ Existing Buildin Buildin Configurati Heig on ht	r Not Applicable g Proposed Configuration Building Configurati Heig Modificatio n/Change Existing building (m) Existing building (Not Under Purview of EIA Notification) Building Ground Floor no. 1 with + Stilt + 1 st to 128.2 2 Wings A 36th Floors 0 mt. and B Proposed building (Under Purview of EIA Notification) Building Ground Floor of the proposed building (Under Purview of EIA Notification) Building Ground Floor of the proposed building (Under Purview of EIA) Notification of the proposed building (Under Purview of EIA) Notification of the proposed building (Under Purview of EIA) Notification of the proposed building (Under Purview of EIA)		

22	Total Population Total Water Requirements CMD	I with 72 n Notification EC 322 numbers * Please not I with 504 n EIA Notific proposal for	nos. of flats hence not co s te in the sam nos. of occu eation hence EC	te layout there is building no is constructed prior to EIA considered in the proposal for the layout there is building no upancy constructed prior to be not considered in the
24	Under Ground Tank (UGT) location	Underground	d with the same	
25	Source of water	MCGM		
26	STP Capacity & Technology	• STP • Tech (MBR)		OKL oving Bed Bio Reactor
27	STP Location	Underground	d	
28	Sewage Generation CMD & % of sewage discharge in sewer line	* Please note 1 constructe considered in generation in disposed to s	e in the samed prior to so the proposits 59 KL. grewer line	on: 38 CMD e layout there is building no EIA Notification hence not eal for EC for which sewage generated sewage is being age discharge in sewer line:
29	Solid Waste Management during Construction Phase	Туре	Quantit y (Kg/d)	Treatment / disposal
\$5.00 No. 10 No.		Dry waste Wet waste	12	Segregation of solid waste into biodegradable and non-biodegradable handed over to authorize recyclers.
		Excavation Earth	2889 cum	684 cum will be reused on site for backfilling &
				levelling and 2205 cum will be disposed to authorized landfill site as per permission received from M.C.G.M
		Constructi on waste		Disposed to authorized landfill site as per permission from MCGM
30	Total Solid Waste Quantities with type during Operation Phase &	Type	Quantit y (Kg/d)	Treatment / disposal
	Capacity of OWC to be installed	Dry waste	87	To Authorized recyclers
	1 7 2 11 2 12 30 1113111100	Wet waste	58	Treatment of biodegradable waste in Organic Waste Converter
		E-Waste		
	į	STP Sludge		Use as manure
oxdot	WH	(dry)		

Note: Please note in the same layout there is existing Bldg I constructed prior to EIA Notification which generates 227 kg/day solid waste that is disposed by M.C.G.M. R.G. Area in sq.m. R.G. required: The project under reference is a part of approved layout under no. CE/649/ BSII/LOKWN lastly approved on 10/10/2011. As per approved layout plant the required Recreational Garden (RG) Area for the entire layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided in mother earth hence there is no requirement of RG area however we have provided additional RG area on podium: a provision of additional RG area on podium: Provision of additional RG area 4958.04 Sq. mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos. b) In Miyawaki Plantation (with area):— * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: — Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg, I constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. No. & capacity of Rain water harvesting tanks/ Pits Project Cost in (Cr.) Construction Phase: Capital cost: Rs. 11.34	ΓΤ		
existing Bldg I constructed prior to EIA Notification which generates 227 kg/day solid waste that is disposed by M.C.G.M. R.G. Area in sq.m. R.G. required: The project under reference is a part of approved layout under no. CE649/ BSIJL/OKWN lastly approved on 10/10/2011. As per approved layout plant the required Recreational Garden (RG) Area for the entire layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided in form of separate plots. Thus, the entire required RG area for the entire layout is already provided on mother earth hence there is no requirement of RG area dop sold and in a provided additional RG area on podium in our plot RG provided on Podium: RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): "Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adami Power Connected load (KW): 3120 KW Maximum demand (KW): 3120 KW Maximum demand (KW): 1560 KW a) Total Energy saving (%): 14 % b) Solar energy (%): 5% of tower common area load DG set of capacity 750 kW 4-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. I constructed prior to ELA Notification for which Parking spaces provision (4-wheeler) is 238 nos. Project Cost in (Cr.) RS. 110 Cr Construction Phase: Capital cost: Rs. 105.51 L			*Note: Places note in the same layout there is
### Which generates 227 kg/day solid waste that is disposed by M.C.G.M. RG required: The project under reference is a part of approved layout under no. CE/649/ BSII/LOKWN lastly approved on 10/10/2011. As per approved layout plant the required Recreational Garden (RG) Area for the entire layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided on mother earth hence there is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos. a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): — *Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load 55 D.G. set capacity DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: — Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. 1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 105.51 Lacs			
R.G. Area in sq.m. R.G. Area in sq.m. R.G. Fequired: The project under reference is a part of approved layout under no. CE/649/ BSII/LOKWN lastly approved on 10/10/2011. As per approved layout plan the required Recreational Garden (RG) Area for the entire layout is already provided in form of separate plots. Thus, the entire required RG area for the entire is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided on Mother earth/ ground: Provision of additional Greenbelt area = 1183.30 Sq. mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): — * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adain Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: Provision of 36 nos: of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. Project Cost in (Cr.) RS. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			3 3
RG required: The project under reference is a part of approved layout under no. CE/649/ BSII/LOKWN lastly approved on 10/10/2011. As per approved layout plan the required Recreational Garden (RG) Area for the entire layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided on mother earth hence there is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided on Mother earth/ground: Provision of additional RG area on podium in our plot RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos. * b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency 35 D.G. set capacity 36 No. of 4-W & 2-W Parking with 25% EV DG set of capacity 750 kVA 4-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. I constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. Project Cost in (Cr.) RS. 110 Cr Construction Phase: Capital cost: Rs. 105.51 Lacs			
The project under reference is a part of approved layout under no. CE/649/ BSII/LOKWN lastly approved on 10/10/2011. As per approved layout plan the required Recreational Garden (RG) Area for the entire layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided on mother earth hence there is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided on Mother earth/ ground: Provision of additional Greenbelt area = 1183.30 Sq. mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): — * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adami Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: — Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. I constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 7 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs	21	D.C. 4	
layout under no. CE/649/ BSII/LOKWN lastly approved on 10/10/2011. As per approved layout plan the required Recreational Garden (RG) Area for the entire layout is already provided in form of separate plots. Thus, the entire required RG area for the entire is no requirement of RG area however we have provided additional RG area no podium in our plot RG provided on Mother earth hence there is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): — * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos.) On ground = 0 nos. + on Podium = 171 nos.) Juring Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set capacity DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: — Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bdg 1 constructed prior to ELI Notification for which Parking spaces provision (4-wheeler) is 238 nos. 7 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs	31	R.G. Area in sq.m.	
approved on 10/10/2011. As per approved layout plan the required Recreational Garden (RG) Area for the entire layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided on mother earth hence there is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided on Mother earth/ground: Provision of additional RG area on podium in our plot RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): — * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: — Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg, I constructed prior to ELA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 7 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
plan the required Recreational Garden (RG) Area for the entire layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided on mother earth hence there is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided on Mother earth/ground: RG provided on Mother earth/ground: Provision of additional Greenbelt area = 1183.30 Sq. mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): **Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
the entire layout is already provided in form of separate plots. Thus, the entire required RG area for the layout is already provided on mother earth hence there is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided on Mother earth/ ground; Provision of additional Greenbelt area = 1183.30 Sq. mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): — * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: — Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. 1 constructed prior to ELA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 7 No. & capacity of Rain water harvesting tanks/ Pits 8 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 105.51 Lacs		•	
separate plots. Thus, the entire required RG area for the layout is already provided on mother earth hence there is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided on Mother earth/ground; Provision of additional Greenbelt area = 1183.30 Sq. mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) 33 Power requirement During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: - Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 7 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) RS. 110 Cr Construction Phase: Capital cost: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			F. A. COURT CANADAM SOLE TO BE SOURCE TO SEE
the layout is already provided on mother earth hence there is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided and Mother earth/ground; Provision of additional Greenbelt area = 1183.30 Sq. mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos* b) In Miyawaki Plantation (with area): — * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) 33 Power requirement During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: — Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to ELA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 7 No. & capacity of Rain water harvesting tanks/ Pits 8 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
there is no requirement of RG area however we have provided additional RG area on podium in our plot RG provided on Mother earth/ground: Provision of additional Greenbelt area = 1183.30 Sq. mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): — * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: — Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. 1 constructed prior to E1A Notification for which Parking spaces provision (4-wheeler) is 238 nos. No. & capacity of Rain water harvesting tanks/ Pits No. & Provision of RWH tank of capacity 75 KL Provision of RWH tank of capacity 75 KL RS. 110 Cr Construction Phase: Capital cost: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
provided additional RG area on podium in our plot RG provided on Mother earth/ground; Provision of additional Greenbelt area = 1183.30 Sq. mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. No. & capacity of Rain water harvesting tanks/ Pits Provision of RWH tank of capacity 75 KL RS. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			the layout is already provided on mouter earth hence
RG provided on Mother earth/ ground: Provision of additional Greenbelt area = 1183.30 Sq. mt. RG provided on Pódium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load DG. set capacity DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. No. & capacity of Rain water harvesting tanks/ Pits Provision of RWH tank of capacity 75 KL Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
Provision of additional Greenbelt area = 1183.30 Sq. mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 36 No. of 4-W & 2-W Parking with 25% EV DG set of capacity 750 kos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to ELA Notification for which Parking spaces provision (4-wheeler) is 238 nos. No. & capacity of Rain water harvesting tanks/ Pits Provision of RWH tank of capacity 75 KL Rs. 110 Cr Construction Phase: Capital cost: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
mt. RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. 1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. No. & capacity of Rain water harvesting tanks/ Pits Provision of RWH tank of capacity 75 KL Rs. 110 Cr Construction Phase: Capital cost: Rs. 105.51 Lacs			
RG provided on Podium: Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos * b) In Miyawaki Plantation (with area): — * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: — Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. 1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. No. & capacity of Rain water harvesting tanks/ Pits Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
Provision of additional RG area 4958.04 Sq. mt. Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) 33 Power requirement During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 36 No. of 4-W & 2-W Parking with 25% EV DG set of capacity 750 kVA 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
Total: 6141.34 Sq. mt. Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) 33 Power requirement During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5% of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
Existing trees on plot: 310 Nos. Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 36 No. of 4-W & 2-W Parking with 25% EV Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. 1 constructed prior to E1A Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
Number of trees to be planted: 207 Nos a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) 33 Power requirement During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to ELA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 105.51 Lacs			The second secon
a) In RG area: 207 Nos.* b) In Miyawaki Plantation (with area): * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 105.51 Lacs			
b) In Miyawaki Plantation (with area): — * Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%): 14 % b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA 36 No. of 4-W & 2-W Parking with 25% EV 2-Wheeler: -Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 105.51 Lacs			
* Tree Plantation of some trees will be done offsite. Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) 33 Power requirement During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 105.51 Lacs			1 To # Color: 1 To # Color: 1
Number of trees to be cut: 171 Nos. (On ground = 0 nos. + on Podium = 171 nos.) 33 Power requirement During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 4-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. 1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Capital cost: Rs. 105.51 Lacs			
Con ground = 0 nos. + on Podium = 171 nos.) 33			
During Operation Phase: Adani Power Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 36 No. of 4-W & 2-W Parking with 25% EV 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
Connected load (KW): 3120 KW Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 36 No. of 4-W & 2-W Parking with 25% EV Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs	22	Postor requirement	
Maximum demand (KW): 1560 KW 34 Energy Efficiency a) Total Energy saving (%):14 % b) Solar energy (%): 5 % of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 36 No. of 4-W & 2-W Parking with 25% EV 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. 1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs	33	rower requirement	DADA SAN SERVER E E SE ESTADO E E ESTADO E E E E E E E E E E E E E E E E E E E
34 Energy Efficiency b) Solar energy (%): 5 % of tower common area load 35 D.G. set capacity DG set of capacity 750 kVA 36 No. of 4-W & 2-W Parking with 25% EV 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
b) Solar energy (%): 5 % of tower common area load DG set of capacity 750 kVA No. of 4-W & 2-W Parking with 25% EV Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg. 1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. No. & capacity of Rain water harvesting tanks/ Pits Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs	34	Fnerov Efficiency	
D.G. set capacity DG set of capacity 750 kVA		Life gy Landing	
No. of 4-W & 2-W Parking with 25% EV 2-Wheeler: 159 Nos. 2-Wheeler: Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) 39 EMP Cost Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs	35	D.G. set canacity	
25% EV 2-Wheeler: — Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) 39 EMP Cost Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs	_		
Provision of 36 nos. of E-charging points. *Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) 39 EMP Cost Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			Landwing Landwin
*Note: Please note in the same layout there is existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) 39 EMP Cost Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			THE ANY OF A SECTION OF A SECTION AND ANY AND
existing Bldg.1 constructed prior to EIA Notification for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) 39 EMP Cost Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
for which Parking spaces provision (4-wheeler) is 238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) 39 EMP Cost Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
238 nos. 37 No. & capacity of Rain water harvesting tanks/ Pits 38 Project Cost in (Cr.) 39 EMP Cost Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
No. & capacity of Rain water harvesting tanks/ Pits Rs. 110 Cr BMP Cost Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			[2] The state of t
harvesting tanks/ Pits 38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs	37	No. & capacity of Rain water	Provision of RWH tank of capacity 75 KL
38 Project Cost in (Cr.) Rs. 110 Cr Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs			
39 EMP Cost Construction Phase: Rs. 71.84 Lacs Operation Phase: Capital cost: Rs. 105.51 Lacs	38		Rs. 110 Cr
Capital cost: Rs. 105.51 Lacs			Construction Phase: Rs. 71.84 Lacs
			Operation Phase:
			Capital cost: Rs. 105.51 Lacs
Lacs/annum			Lacs/annum
40 CER Details with justification if	40	CER Details with justification if	
anyas per MoEF & CC		anyas per MoEF & CC	
circular dated 01/05/2018		circular dated 01/05/2018	

41	Details	of	Court	Cases/	No litigation is pending against the project or land
	litigations	w.r.t	the pro	ject and	
	project loc	ation	, if any.		

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 256th (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- 2. PP to obtain following NOCs & remarks:a) Sewer connection;b) SWD NOC;c) Tree NOC.
- 3. PP to submit letter from Planning Authority that the plot is not affected by CZMP-2019.
- 4. PP to submit final concession approval received from Municipal Commissioner, MCGM.
- 5. PP to submit revised STP layout showing 40% area open to sky.
- 6. PP to submit architect certificate that they have not consuming any FSI, Non-FSI of existing building in proposed construction & vice- versa.
- 7. PP to provide portable STP for workers during construction phase. PP to include EMP in DMP & accordingly, revise EMP of Construction & Operation phase.
- 8. PP to explore to provide environmental facilities like STP, OWC etc. to the existing building.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI area 11,895.98 m2, Non FSI area-10,552 m2 and total BUA 22,447.98 m2. (Plan approval No.CE/6688/WS/AK, dated-16.08.2019) (Restricted as per approval).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as

- per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a

separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the

- stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the

Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Mumbai Suburban.
- 6. Commissioner, Municipal Corporation of Greater Mumbai
- 7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.